BRIDGEPORT™STEEL garage doors

1 & 2-LAYER CONSTRUCTION





BRIDGEPORT™ STEEL garage doors


Bridgeport™ Steel garage doors combine the traditional symmetry of wood stile and rail door designs without the upkeep and maintenance. Create a look that complements the overall look of your home by selecting the window design, color and decorative hardware to give it that one-of-a-kind look. Available with or without insulation. The first fabulous impression becomes a lasting impression.



2 LAYER construction



Model	Description
BD5NV	25 Gauge, Narrow Recessed Panel, Insulated
BD4NV	24 Gauge, Narrow Recessed Panel, Insulated
BD5EV	25 Gauge, Extended Recessed Panel, Insulated
BD4EV	24 Gauge, Extended Recessed Panel, Insulated



Model	Description
BD5N	25 Gauge, Narrow Recessed Panel, Non-Insulated
BD4N	24 Gauge, Narrow Recessed Panel, Non-Insulated
BD5E	25 Gauge, Extended Recessed Panel, Non-Insulated
BD4E	24 Gauge, Extended Recessed Panel, Non-Insulated

STYLE AND CONSTRUCTION

- Narrow and extended recessed panels creates a transitional shaker style.
- 24 gauge or 25 gauge 2" steel frame construction for long-lasting performance.
- Hot-dipped galvanized exterior steel with a baked-on primer and top coat help ensure a virtually maintenance-free door with long-lasting beauty.
- Optional 1-5/16" polystyrene insulation improves energy efficiency. 6.3 R-value (Models BD5NV, BD4NV, BD5EV and BD4EV).
- Long-life nylon rollers are quiet and durable.
- Replaceable vinyl bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.
- See your Clopay Dealer for WINDCODE® door availability.

Calculated door section R-value is in accordance with DASMA TDS-163.



DOOR DESIGNS



Narrow

Models BD5N, BD5NV, BD4N and BD4NV



Extended

Models BD5E, BD5EV, BD4E and BD4EV

CUSTOM PAINT OPTION



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

COLORS



- Exterior steel on solid colors has a natural woodgrain texture.
- Doors can be painted to match the home's exterior using a high-quality latex exterior paint.
 Do not use oil-based paint.

*Not available on Models BD4E and BD4EV.

[†]Additional charges apply. Not available on Models BD5N, BD5NV, BD5E and BD5EV. Due to the printing process, colors may vary.

ULTRA-GRAIN® FINISH



Ultra-Grain® Oak Walnut Finish



Ultra-Grain® Oak Slate Finish

- Painted steel surface simulates a real stained door without the need of staining and the ongoing maintenance of wood.
- Oak woodgrain runs horizontal on stiles and vertical on panels for an authentic, natural look.
- Exterior steel surface on an Ultra-Grain® finish door has a woodgrain texture.

Additional charges apply. Not available on Models BD5N, BD5NV, BD5E and BD5EV.

NARROW PANEL WINDOW AND TOP SECTION OPTIONS

Doors range from 6'0" to 16'0" high and 7'8" to 20'2" wide. Door widths 10'2" - 11'4" and 14'8" are not available. Consult your Clopay Dealer for size options.

7'0"-8'0"

HEIGHTS

MODELS BD5N, BD5NV, BD4N and BD4NV 11'6"-14'6" 14'10"-19'0" 19'2"-20'2" 7'8"-10'0" 7'8"-10'0" WIDTHS 7'8"-10'0" Narrow Solid Top ARCH1 Vertical Grille Plain Short on ARCH1 Grille on ARCH1 Plain Long ad lin ad lin ----REC12 ARCH2 REC14 Vertical Grille on ARCH2 SQ22 Grille on ARCH2 SQ24 ARCH3 Trenton® Short† Vertical Grille 120 CE 000 000 000 000 CE 000 on ARCH3 Trenton® Long† Grille on ARCH3 000000 00000 Kristin® Short† Clayton™ Short† Kristin® Long† Clayton™ Long† Wrought Iron Short*1 Wrought Iron Arch*† *** 84 84 84 84 84 84 84 ടെ ടെ රණය රණය රණය රණය Wrought Iron Long*† 1==1 1==1 HEBI HEBI HEBI HEBI

Illustrations simplified for clarity.

10'6"-12'0"

9'0"-10'0"

^{*}Acrylic

[†]Complements Clopay Entry Door glass.

EXTENDED PANEL WINDOW AND TOP SECTION OPTIONS

Doors range from 6'0" to 16'0" high and 7'8" to 20'2" wide. Door widths 10'2" - 11'4" and 14'8" are not available. Consult your Clopay Dealer for size options.

Illustrations simplified for clarity.

10'6"-12'0"

9'0"-10'0'

7'0"-8'0" **MODELS** BD5E, BD5EV, BD4E and BD4EV WIDTHS 7'8"-10'0" 11'6"-14'6" 14'10"-19'0" 19'2"-20'2" 7'8"-10'0" 7'8"-10'0" ARCH1 Narrow Solid Top Vertical Grille all lib Plain Short on ARCH1 Grille on ARCH1 Plain Long ARCH2 REC12 Vertical Grille REC14 on ARCH2 Grille on ARCH2 SQ22 ARCH3 SQ24 Vertical Grille Trenton® Short† 31315 31315 31315 31315 0.012 0.000 0.010 0.010 0.010 0.010 0.010 on ARCH3 Grille on ARCH3 Trenton® Long† 000000 00000 220020 200000 200000 000000 Clayton™ Short† Kristin® Short† (\$) (\$) (\$) (4) (4) (4) (4) (4) (4) Clayton™ Long[†] Kristin® Long† **480** dip dip dip Wrought Iron Arch*† किंद्र किंद्र किंद्र किंद्र Wrought Iron Short*1 කිනි කින 86 86 86 86 56 56 56 56 56 56 56 Wrought Iron Long*† 1==1 1==1 NEET NEET NEET NEET

*Acrylic

Note: Due to stile width restrictions, some odd size door widths may allow only for the installation of a single handle. See your Clopay Dealer for details.

[†]Complements Clopay Entry Door glass.

Windows in Detail













ARCH2 Vertical Grille on ARCH2





SQ22 REC14













自当自当当

Trenton® Long*





Clayton™ Long¹



ACRYLIC -

Second Second Wrought Iron Arch'

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit www.clopaydoor.com/acrylic for complete details

*Complements Clopay Entry Door glass

Long and short windows may be used in any Bridgeport™Steel model. Grilles are removable for easy cleaning. Double-strength glass is standard. Additional charges for optional glass apply.

Windows are available single pane or insulated in clear, frosted, seeded, obscure and rain designs. Clear acrylic also available.











Decorative Hardware

STANDARD

Doors come standard with color-matched lift handles.


OPTIONAL



Note: Decorative hardware options vary based on door widths. Standard hardware is not provided if a lock is chosen. See your Clopay Dealer for details.



Spade Strap Hinge' (Complements Spade Lift Handles and Spade Step Plate)



† Aluminum construction. *Door may not open properly if installed near the top depending on opening dimensions and lift type. See your Clopay Dealer for more details.

Environmental Assurance

Clopay doors are compliant with environmental laws and regulations. Clopay doors do not contain HFCs. All Clopay doors are compliant with:

- California SB 1013
- New Jersey A-5583/S-3919 Greenhouse Gas Bill
- Washington HB 1112 Hydrofluorocarbon Greenhouse Gas Emissions
- Canadian regulations amending the ozone-depleting substances and halocarbon alternatives regulations

Warranties

25 GAUGE DOORS (BD5N, BD5E, BD5NV and BD5EV)



WINDOW LIMITED **10 YR** WARRANTY

HARDWARE LIMITED **3YR**

24 GAUGE DOORS (BD4N, BD4E, BD4NV and BD4EV)



WINDOW LIMITED **10 YR** WARRANTY



Additional Features



Large authentic arch window designs.



A true recessed stamp replicates the timeless look of a rail and stile built wood door.



MADE IN USA

Visit clopaydoor.com or call 1-800-2CLOPAY (225-6729) for more information on Clopay, America's Favorite Garage Doors.















© 2022 Clopay Corporation. All rights reserved.

RSDR-BRIDGEPORT1-2LAYERSS-22

OPEN CAMERA AND POINT!

imagine